NOTICE INVITING TENDER



INDEX

Name of Work: Construction of Security Guard post at Gate No.3, IIM Kashipur

S. No.	DESCRIPTION	PAGE
1	Information & Instructions for Bidders for Tendering	1-5
2	Brief Scope of work	6
Part-A: Notice	Inviting Tender (CPWD-6), Tender Form (CPWD-7), Schedules - A to F for	7
Major	Component of Work and Standard GCC for CPWD-2020 (Construction work)	
amendo	ed/ modified up to last date of tender submission- Civil	
3	CPWD-6 for tendering, Tender Form (CPWD-7)	8-11
4	Percentage Rate tender & contract for work	12-13
5	Acceptance Tender	14
6	Schedules A to F	15-18
7	Integrity Pact	19-20
	Integrity Agreement	21-25
8	Format for EMD declaration by the agency form-G (To be given on Ten Rupees Non-Judicial Stamp paper duly notarized)	26
9	Form of Performance Guarantee – Bank Guarantee Bond	27-28
Part-B: General	/Special Conditions, Specifications and Schedule of Quantities for Major	29
Compo	nents of Work.	
10	General Conditions	30-35
11	Schedule of Quantities	36
12	Renovation Certificate	37



INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR TENDERING

Percentage Rate bids in two bid systems are invited on behalf of IIM Kashipur from approved and eligible contractors of CPWD/PWD or any other Govt Organization in an appropriate class of Composite/Building category for the work **Construction of Security Guard post at Gate No.3 IIM Kashipur, or** having experience in the execution of **similar works** in any Govt organization i.e. 3 no. works each of value not less than 40% of estimated cost put to tender or 2 no. works each of value not less than 60% of estimated cost put to tender or 1 no. work of value not less than 80% of the estimated cost put to tender the last 5 years ending the previous month.

NIT No	IIMKASHIPUR/WORKS/NIT/04/2025-26	
Name of Work	Construction of Security Guard post at Gate No.3 IIM Kashipur	
Location	IIM Kashi	pur (UK).
Estimated cost put to bid Total Es		timated cost: Rs. 10,09,603/-
Earnest Money	Rs.2100	0/-
Stipulated Period of Completion of work	Four months	
Last date of submission of bid and other documents as specified in the bid document.	Up to 15:00 Hrs on 30 May 2025	
Time and date of opening of Bid	15:30 Hrs on 30 May 2025	
Bids/queries to be addressed to		ENGINEER-IN-CHARGE
Postal address for sending the Bids		ENGINEER-IN-CHARGE INDIAN INSTITUTE OF MANAGEMENT, KASHIPUR KUNDESHWARI, KASHIPUR, DIST. UDHAM SINGH NAGAR, UTTARAKHAND (INDIA) PIN – 244713 Website: www.iimkashipur.ac.in
Name/Designation of the contact personnel		ENGINEER-IN-CHARGE
Telephone numbers of the contact personnel		91-7088270882,7900444090 / 701
e-mail ids of contact personnel		engineering.department@iimkashipur.ac.in

- 1. Bids in sealed cover are invited under a two-bid system from reputed, experienced, and financially sound parties. Please superscribe the outer cover of the sealed bid as <u>"Tender for Construction of Security Guard post at Gate No.3 IIM Kashipur and separate the financial bid superscribe the outer cover of the sealed bid.</u>
- 2. The Financial bids of only eligible and technically qualified bidders will be taken into account, after the same has been ascertained by evaluation of the Bids by the Tender Opening Committee. Considering the urgency of the work, no requests for extending the deadline shall be considered.
- 3. Cost of Bid Document/ Tender Fee: free of Cost
- **4.** <u>Issue of Tender:</u> The tender document can be downloaded from the Institute website www.iimkashipur.ac.in or eprocure.gov.in. Please keep visiting our website for any corrigendum/ amendments and submit the bid document accordingly.
- 5. Manner of depositing the Bids: Sealed Bids should be either dropped in the Tender Box placed at the Main Gate of IIM Kashipur or should be sent by registered post/courier at the address given above by the due date and time. Late tenders will not be considered. No responsibility will be taken for postal/courier delay or non-delivery/non-receipt of Bid documents. Bids sent by FAX or e-mail will not be considered.
- 6. The NIT is to be signed on all the pages by the bidder. This NIT is being issued with no financial commitment. IIM Kashipur also reserves the right to withdraw the NIT, should it become necessary at any stage for withdrawing the NIT.
- 7. The Bidders may depute their representatives, duly authorized in writing, to attend the opening of Bids at the due date and time. This event will not be postponed due to the non-presence of your representative.
- 8. **Forwarding of Bids** Bids should be forwarded by Bidders in a sealed envelope duly superscribed as stipulated above and this should contain a copy of the NIT document duly signed and stamped on each page along with Annexure-I of the NIT supported by demand drafts (Tender Fees and EMD) and all the documentary proofs to establish eligibility and their potential of professional readiness for the work services.
- 9. Modification and Withdrawal of Bids: A bidder may modify or withdraw his bid after submission, provided that the written notice of modification or withdrawal is received by the IIM Kashipur prior to the deadline prescribed for submission of bids. A withdrawal notice should be on a signed confirmation copy to be sent by post or by email and such signed confirmation should reach the purchaser not later than the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified. Withdrawal of a bid during this period will result in the in-Bidder's forfeiture of bid security. Submission of bid means that the bidder has read all the terms and conditions of this Tender Documents carefully and will comply with them unconditionally. Conditional bids shall not be accepted.
- 10. **Rejection of Bids**: Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with forfeiture of EMD.
- 11. <u>Validity of Bids</u>: The Bids should remain valid till **90 days** from the last date of submission of the Bids.
- 12. Earnest Money Deposit (EMD): Bidders are required to submit an EMD of the amount Rs.

- **21000/-** (Rupees Twenty one thousand only) along with their bids. The EMD may be submitted in the form of an Account Payee Demand Draft from any of the public sector banks or a private sector bank authorized to conduct government business payable in favor of "Indian Institute of Management, Kashipur 'payable at Kashipur. EMD is to remain valid for a period of forty-five days beyond the final bid validity period. EMD of the unsuccessful bidders will be returned to them at the earliest after the expiry of the final bid validity and latest on or before the 30th day after the award of the contract. The EMD of the successful bidder would be returned, without any interest whatsoever, after the receipt of a Security Deposit from them as called for in the contract. The EMD will be forfeited if the bidder withdraws, or amends, impairs, or derogates from the tender in any respect within the validity period of their tender.
- 13. <u>Security Deposit</u>: The Bidder will be required to furnish a Security Deposit by way of a Demand Draft through a public sector bank or a private sector bank authorized to conduct government business for a sum equal to 5 % of the done amount after completion of the work.
- 14. The Security Deposit shall be released after the completion of the Defect Liability Period of this Contract based on the "Completion Certificate" issued by IIM KASHIPUR stating that the Bidder has completed the work satisfactorily in all respects. The Security Deposit, however, shall be released only after the expiry of the contract period and after clearance of the final bill based on a "No Claim Certificate" from the Bidder.
- 15. <u>Payment Terms</u> Payments will be made through ECS/ NEFT/RTGS after submission of the ink-signed bills for the completed services. Taxes like GST etc. will be paid as per Govt. norms. No advance payment(s) will be made. On receipt of the Final payment, the bidder shall furnish a "No Claim Certificate" to IIM Kashipur.
- 16. The bidder should read all the instructions, terms & conditions, contract clauses, nomenclature of items, specifications, etc., contained in the bid document carefully, before quoting the rates.
- 17. General Conditions of Contracts 2020 (GCC 2020) for Maintenance Works (Amended up to date) published by D.G. CPWD, Nirman Bhawan, New Delhi-110011 shall form part of the Agreement.
- 18. The bidder shall quote his rates for the specifications, terms & conditions, additional and special conditions, etc., and nothing extra shall be payable.
- 19. The contractors are advised to visit the site of work to have an idea of the execution of the work; failure to do so will not absolve their responsibility to do the work as specified.
- 20. The rates quoted by the contractor should be based on on-site inspection. No extra cost is allowed in the said job in case of variations.
- 21. The contractor shall follow standard operating procedures and guidelines for the covid-19 outbreak as applicable at the time of work and nothing extra shall be payable on this account.
- 22. The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 23. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with, and other necessary documents can be seen and downloaded from the website http://www.iimkashipur.ac.in free of cost. But the bid can only be submitted after submitting Declaration on EMD in the given format. (Form-G) and other documents as specified.
- 24. Contractors can Print and submit the documents with the Bid.

25. List of Documents to be within the period of bid submission:

- i) Copy the Declaration on EMD in the given format. (Form-G), EMD amount or VALID MSME certificate
- ii) Enlistment order of the contractors of CPWD/PWD or any other Govt Organization in an appropriate class of composite/building category **or** similar works in any Govt organization i.e. 3 no. works each of value not less than 40% of estimated cost put to tender or 2 no. works each of value not less than 60% of estimated cost put to tender or 1 no. work of value not less than 80% of the estimated cost put to tender the last 5 years ending the previous month.
- iii) Signed Tender Documents
- *iv)* PAN Card
- v) GST registration certificate if already obtained by the bidder.
 - "If work is awarded to me, I/we shall obtain GST registration certificate, as applicable, within one month from the date of receipt of the award letter or before the release of any Payment by IIM Kashipur, whichever is earlier, failing which I/we shall be responsible for any delay in payments which will be due towards me/us on account of the work executed and/or for any action taken by IIM or GST department in this regard".

Signature of the Executive Engineer, For and on behalf of the IIM Kashipur

26. Evaluation Criteria for Financial Bids

- i. Financial bids of the technically qualified bidders shall only be considered.
- ii. The work shall be awarded on a total package basis to the L-1 bidder only.

27. Submission of Bid

Each bidder is requested to submit only one bid in the following three Envelopes.

i. Envelope –I (Technical Bid)

- (a) Earnest Money Deposit (EMD) with declaration of EMD OR MSME certificate
- (b) Enlistment order of the contractors of CPWD/PWD or any other Govt Organization in an appropriate class of composite/building category or similar work experience as per criteria given in the NIT
- (c) Signed tender document
- (d) GST
- (e) PAN card

ii. Envelope -II (Financial Bid)

Containing Bill of quantity with duly quoted rates. It should be without any condition as conditional offers will be summarily rejected. Rates provided in hard copy duly signed and stamped shall prevail over rates provided in soft copy.

iii. Envelope -III (Bid)

- 1. Containing envelope no. 1 and 2 The two envelopes (1 & 2) shall be kept in a 3rd sealed envelope duly marked with the Name of Bidder and mentioning the documents contained in each of the Envelopes 1 and 2. In case Envelope –I is not annexed or documents submitted in it are not found in proper form, the Bid shall not be evaluated.
- 2. Envelopes no. 3 & 1 will be opened as per the scheduled date. Envelope No. 3 shall be opened in the presence of those bidders who choose to be present on the date and time as intimated to all prospective bidders who are participating in the bidding process. During the opening of envelope-1, the name of bidder who have submitted its offer along with details of EMD and bid processing fee will only be read out and NO other information / details whatsoever will be read out. The date of opening of envelope no. 2 shall be informed to all such bidders who are technically qualified.
- 3. Envelope no. 3 shall super-scribed with the name of work, name & phone nos. of bidder. Those desirous of submitting the bid through post may do so subject to the condition that IIM Kashipur shall not be responsible for postal delay and bids received after bid submission date will be treated as delayed and will not be entertained.

Signature of the Executive Engineer, For and on behalf of the IIM Kashipur



Brief Scope of Work

Name of work: Construction of Security Guard post at Gate No.3 IIM Kashipur (Only for general reference, and SOQ prevails over these provisions)

Civil Work: -

- 1. Exposed Brickwork with painting
- 2. RCC slab
- 3. Aluminium windows and ventilator
- 4. Flush door with angle iron frame
- 5. Kota stone flooring
- 6. Interior plaster and paint
- 7. Toilet fitting and fixtures
- 8. CPVC pipe fitting and other works

Electrical work: -

- 1. Electrical wiring works
- 2. Switches and socket work
- 3. Ceiling fan
- 4. Lighting work etc.



PART - A

NOTICE INVITING TENDER, TENDER FORM, SCHEDULES - A
TO F FOR MAJOR COMPONENT OF WORK AND STANDARD
GCC FOR (CONSTRUCTION WORK) AMENDED/ MODIFIED UP
TO LAST DATE OF TENDER SUBMISSION



CPWD-6 FOR TENDERING

Percentage Rate bids are invited on behalf of IIM Kashipur from approved and eligible contractors of CPWD/PWD or any other Govt Organization in an appropriate class of Composite/Building category for the work of **Construction of Security Guard post at Gate No.3 IIM Kashipur or** having experience in the execution of **similar works** in any Govt organization i.e. 3 no. works each of value not less than 40% of estimated cost put to tender or 2 no. works each of value not less than 60% of estimated cost put to tender or 1 no. work of value not less than 80% of the estimated cost put to tender the last 5 years ending the previous month.

The Enlistment of the contractors in CPWD/PWD or any other Govt. Organization should be valid on the last date of submission of bids. In case the last date of submission of bid is extended, the enlistment of contractor should be valid on the original date of submission of bids. (Similar work means building works only)

- 1.1. The work is estimated to cost **Rs. 10,09,603/-/-**This estimate, however, is given merely as a rough guide.
- 2. Agreement shall be drawn with the successful bidder on prescribed Form No. **CPWD 7** (or other Standard Form as mentioned) which is available as a Govt. of India Publication and also available on website www.cpwd.gov.in. Bidder shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be 3 months from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site for the work is available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from website http://www.iimkashipur.ac.in/ free of cost.
- 6. Copy of Declaration on EMD in the given format. (Form-G) in lieu of EMD shall be submitted to the IIM Kashipur by the intending bidder up to the specified bid submission date and time.
 - Copy of Enlistment Order and other documents as specified in the bid document shall be printed to the tendering within the period of bid submission.
 - However, certified copies of all the documents as specified in the bid document shall have to be submitted by the lowest bidder along with a Declaration on EMD in given format. (Form-G) in lieu of EMD submitted within a week physically in the office of tender opening authority.

bid documents submitted by intending bidders shall be opened only by those bidders, whose

7. The bid submitted shall become invalid and the tender processing fee shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not submit copies of all the documents (including GST registration OR Undertaking in lieu of GST registration) as stipulated in the bid documents including the copy of Declaration on EMD in the given format. (Form-G) in lieu of EMD.
- (iii) If any discrepancy is noticed between the documents as submitted at the time of submission of bid and hard copies as submitted physically by the lowest bidder in the office of bid opening authority.
- (iv) If a tenderer quotes nil rates against each item-on-item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub-head in percentage rate tender, the tender shall be treated as invalid and will not be considered as a lowest tenderer.
- 8. The contractor whose bid is accepted will be required to furnish a performance guarantee of 5% (Five Percent) of the accepted tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case the guaranteed amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form .In case the Bidder fails to deposit the said performance guarantee within the period as indicated in schedule 'F' including the extended period if any, tender shall be canceled and tenderer shall be suspended for one year and shall not be eligible to bid for IIM tenders from date of issue of the suspension order.

The contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board including Provident fund code no. if applicable

- 9. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other Services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the IIM Kashipur and local conditions and other factors having a bearing on the execution of the work.
- 10. The competent authority, on behalf of the IIM Kashipur, does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed conditions are

- not fulfilled, or any condition, including that of the conditional rebate, is put forth by the bidders shall be summarily rejected.
- 11. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 12. The competent authority on behalf of the IIM Kashipur reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 13. The contractor shall not be permitted to bid for works in the IIM Kashipur, responsible for award and execution of contracts, in which his near relative is posted as Director, CAO, SPO, FA cum CAO or as an officer in any capacity between the grades of Junior Engineer and above. He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in IIM Kashipur. Any breach of this condition by the contractor would render him liable to be banned from working in IIM.
- 14. No Engineer of Gazette Rank or other Gazette Officer employed in Engineering or Administrative duties in an Engineering Department of the IIM Kashipur is allowed to work as a contractor for a period of one year after his retirement from Government service without the previous permission of the Government of India in writing. This contract is liable to be canceled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 15. The bids for the work shall remain open for acceptance for a period of **Thirty** (30) days from the date of opening of bids further.
 - (i) If any tenderer withdraws his tender or makes any modification in the terms and conditions of the tender which is not acceptable to the department, after the last date of submission of bid, then the IIM Kashipur shall, without prejudice to any other right or remedy, be at liberty to suspend tenderer for one year and shall not be eligible to bid for IIM Kashipur tenders from date of issue of the suspension order.
- 16. This notice inviting Bids shall form a part of the contract document. The successful bidder/contractor, on acceptance of his bid by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - (i) The Notice Inviting Bid, all the documents including additional conditions, specifications, and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- 17. Standard **CPWD Form-7**, The bid document will include the following three components:
 - **Part A:** CPWD-6, CPWD-7 including schedule A to F for Major components of the work and Standard General Conditions of Contract for CPWD 2020 (Construction work) as amended/modified up to the last date of submission of a bid.
 - **Part B:** General/Special Conditions, Specification, and Schedule of Quantities applicable to Major components of the work.
 - **Part C:** Schedule A to F for minor components of the work. (*Competent authority under clause 2 and clause 5 shall be the same authority as mentioned in schedules A to F for major components*). General/Specific conditions, Specifications, and Schedule of Quantities applicable to Minor component(s) of the work.

- The eligible bidders shall quote rates for all items of major components as well as for all items of minor components of work.
- ii. After acceptance of the bid by competent authority, the EE in charge of major components of the work shall issue a letter of award on behalf of the IIM Kashipur. After the work is awarded, the main contractor will have to enter into one agreement with EE in charge of major components and has also to sign two or more copies of agreement depending upon number of EE's/DDH in charge of minor components. One such signed set of agreement shall be handed over to EE/DDH in charge of minor components. EE of major components will operate part A and part B of the agreement. EE/DDH in charge of minor component(s) shall operate Part C along with Part A of the agreement.
- iii. Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement
- iv. Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of work.
- 20.1.12A. The composite work shall be treated as complete when all the components of the work are complete. The completion certificate of the composite work shall be recorded by the Engineer-in-charge of major components after the record of the completion certificate by the Engineer-in-charge of all other minor components.

20.1.12B. Final bill of the whole work shall be finalized and verified by engineer in charge.

Signature of the Executive Engineer,

For and on behalf of IIM



INDIAN INSTITUTE OF MANAGEMENT, KASHIPUR

PERCENTAGE RATE TENDER & CONTRACT FOR WORKS

Tender for the work of "Construction of Security Guard post at Gate No.3 IIM Kashipur

To be uploaded by 15:00 Hrs. on 30 May 2025 on the website: www.iimkashipur.ac.in

To be opened in the presence of tenderers who may be present at 15:30 Hrs. on 30 May 2025 - at the Main Gate, IIM Kashipur Uttrakhand.

TENDER

I/We have read and examined the notice inviting tender, schedule-A, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of the contract, Special conditions, Schedule of Rate & other documents and rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the IIM Kashipur within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing, and instructions in writing referred to in Rule-1 of General Rules and Directions & in clause 11 of the Conditions of Contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **Thirty (30) days** from the date of its opening and not to make any modifications in its terms and conditions.

If I/We fail to furnish the prescribed performance guarantee within the prescribed period, then I/we shall be suspended for one year and shall not be eligible to bid for IIM Kashipur tenders from the date of issue of the suspension order. Further, if I/We fail to commence work as specified, I/We agree that IIM Kashipur or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely, the said performance guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in clause 12.2 and 12.3 of the tender form.

Further, I/We agree that in case of forfeiture of Performance Guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work. I/we undertake and confirm that eligible similar work(s) has/have not been executed through another agency on a back to back basis. Further that, if such a violation comes to the notice of the Department, then I/we shall be debarred for tendering in IIM Kashipur in future forever. Also, if

such a violation comes to the notice of the Department before the date of start of work, the Engineer-incharge shall be free to forfeit the entire amount of Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents, drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety and integrity of the State.

Dated:	Signature of Contractor
	Postal Address:
Witness:	
Address:	
Occupation:	

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by m	e
for and on behalf of the IIM Kashipur for a sum of Rs(Rupe	€.
).	
The letters referred to below shall form part of this contract agreement:	
(a)	
(b)	
(c)	
(For & on behalf of IIM Kaship	ır)
Dated:	
Signature	
Designation	

PROFORMA OF SCHEDULES: A TO F

SCHEDULE 'A'

Schedule of quantities: (for Civil Works: As per sheets attached)

SCHEDULE 'D'

Extra schedule for specific requirements/documents for the work, if any: Nil

SCHEDULE 'E'

Reference to General Conditions of Contract: General Conditions of Contract-2020 (**Construction works**) as amended/modified up to the last date of submission of Tenders.

Name of Work: Construction of Security Guard post at Gate No.3 IIM Kashipur

Estimated cost of work: Total Estimated cost: Rs. 10,09,603/-

(i)	Earnest Money	21000/-
(ii)	Performance Guarantee	5% of tendered value
(iii)	Security Deposit	5% of work Done amount

Special Condition of Contract

General

- 1. The contents of special conditions take precedence over the general 'Clauses of Contract.
- 2. If the lowest bid is seriously unbalanced or front loaded in the opinion of the institute, the institute may require the bidder to produce detailed price analysis for any or all items of the bill of quantities to demonstrate the internal consistency of those prices with the construction method and schedule proposed. After evaluation of the price analysis the institute may require that the performance bank guarantee be increased at the expense of the bidder to a level sufficient to protect the institute against financial loss in the event of default of the successful bidder under the contract.
- 3. The following clauses of the contract under the "Conditions of contract" are amended as under:

Schedule-FGENERAL RULES & DIRECTIONS:

Officer Inviting Tender

The Director, IIM Kashipur, Kundeshwari, Kashipur, Dist. Udhan Singh Nagar, Uttarakhand,

Definitions: -		
2 (V)	Engineer-in-Charge	The Executive Engineer (Civil), IIM Kashipur
2 (Viii)	Accepting Authority	The Director, IIM Kashipur,
2 (X)	Percentage on cost of material and labour to cover all overheads and profits	15%
Clause 1		
	Time allowed for submission of a performance guarantee from the date of issue of the letter of acceptance	15 Calendar days
	Maximum allowable extension with late fee @ 1% per day of Performance Guarantee amount beyond the period provided in (i) above (1-15 Days)	7 Calendar days
Clause 2		
	Authority for fixing compensation under clause 2	Engineer-in-Charge
Clause 2A	Whether clause 2A shall be applicable	Yes
Clause 5		
	Number of days from the date of issue of letter of acceptance for reckoning date of start	15 Calendar days
Table of Miles	stones:- As per the Table Given below	

S.No.	Description of Milestone (Physical)	Time Allowed in Days (From date of start)	Amount to be withheld in case of non- achievement of milestone (Percentage of bid amount)
		NIL	

Time allowed for the execution of work	4 Months from the Date of LOA
Authority to decide	
Extension of time:	Chief Engineer
Re-scheduling of time	Chief Engineer
Shifting of date of start in case of delay in	Chief Engineer
handing over of site	
Validity of the tender	90 days from the last submission date
Retention Money (Security Deposit)	5 % of the work done Amount
Date of Commencement	7 days from the date of Letter of Acceptance
Defects liability period/Warranty	12 Months from date of Virtual completion Certificate
Performance Guarantee	5% of Contract Amount to be submitted as Bank Guarantee within 15 days of receipt of Letter of Intent / acceptance (valid up to one month after the completion period of the contract / extended period if permitted). This Performance Guarantee shall be returned within one month after work completion Period (or its extension) with satisfactory work.
Release of Retention Money (Security Deposit)	After satisfactory completion of the defect liability period
Compensation for delay	5 % (Five Percent) per month of delay to be computed on per day basis and imposed over contractor if it is attributable to it
Limit of Compensation for delay	10% of the contract value
Documents to be submitted by contractor for initial payment	Performance Bank Guarantee, agreement, any document required by Engineer-in-charge
Taxes, Levy, Duty, Octroi, GST, etc. (existing at the scheduled date and time of bid submission)	All are included in the quotation provided by bidder.
Taxes, Levy, Duty, Octroi, GST, etc. (change in taxes after scheduled date and time of bid submission)	Recoverable or payable as applicable, after submission of adequate proof of imposition and payment of taxes by contractor; to the satisfaction of Engineer-in-charge of IIM Kashipur`
Sample approval, Pre-dispatch / Stage Inspection & Insurance cost	Cost included in the quotation provided by bidder. Sample approval by IIM Kashipur or its authorized representative is a must before procurement Material when delivered, shall be inspected with approved sample for acceptance
Clause Whether clause 10CA shall be applicable	Not Applicable
Clause Clause 10CC to be applicable in contracts with stipulated period of	Not Applicable

	completion exceeding the period shown in the next column	
Clause 11	Specification to be followed	CPWD specification and relevant IS code for maintenance
Clause 12	Deviations/ Variations Extent and Pricing	Applicable
Clause 18	List of mandatory machinery, tools & plants to be deployed by the contractor	No tools/equipment shall be issued to the contractor by IIM Kashipur
Clause 25	Constitution of Dispute Redressal Committee (DRC)	By Director of IIM Kashipur
S.No.	Designations	
1	Arbitrator Appointing Authority	Director, IIM Kashipur
2	Place of Arbitration	Kashipur, US Nagar, Uttarakhand
Clause 38	Theoretical consumption of material	Not Applicable
Clause 41	Release of Security deposit after labour clearance	Not Applicable
Addendi	um for GCC	
	Terms used in GCC	To be read as below in IIM Kashipur's prospective
1	President	Director
2	President of India	Director Director of IIM Kashipur
3	CPWD	To be read as IIM Kashipur if it is referred as department.
4	Government	Government/ IIM Kashipur as the case may be
5	The officer above Chief Engineer level	Director or its authorized representative.

INTEGRITY PACT

П	Γ_{Δ}	

All Bidders

Subject: NIT Noof Security Guard post at Gate No.3 IIM Kashi	
Dear Sir,	

It is hereby declared that IIM Kashipur is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer /bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IIM Kashipur.

Yours faithfully

Executive Engineer-IIM Kashipur

To.

Executive Engineer- IIM Kashipur, Uttarakhand.

Dear Sir,

I/We acknowledge that IIM Kashipur is committed to following the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IIM Kashipur. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IIM Kashipur shall have the unqualified, absolute and unfettered right to disqualify the tender/bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

TO BE SIGNED BY THE BIDDER AND SAME SIGNATORY COMPETENT / AUTHORIZED TO SIGN THE RELEVANT CONTRACT WITH CPWD

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of20
BETWEEN
Director IIM represented through Executive Engineer- IIM Kashipur (Address of Division), (Hereinafter referred as the ' Principal/Owner ', which expression shall unless repugnant to the meaning or context thereof include its successors and permitted assigns)
AND
WHEREAS the Principal / Owner has floated the Tender (NIT No. IIMKASHIPUR/PROJECT/NIT/AUDI/01/2022-23 DATED-10 th August 2022) (hereinafter referred to as "Tender/Bid") and intends to award under laid down organizational procedure contract for

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economical use of resources, and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

"Construction of Security Guard post at Gate No.3 IIM Kashipur." hereinafter referred to as the

AND WHEREAS to meet the purpose aforesaid, both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows, and this Pact witness as under:

ARTICLE 1: Commitment of the Principal/Owner

"Contract".

- 1) The Principal/Owner commits itself to taking all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

- (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidders(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
- (c) The Principal/Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act,1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

ARTICLE 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government/Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details including information contained or transmitted electronically.
 - d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and address of foreign agents/representatives, if any. Either the India agent on behalf of the foreign principal or the foreign principal directly

could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.

- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose (with each tender as per proforma enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offenses outlined above or be an accessory to such offenses.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

ARTICLE 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during the execution of the Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) Forfeiture of performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Performance Guarantee and Security Deposit of the Bidder/Contractor.

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

ARTICLE 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country conforming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes an incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
- 3) If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

ARTICLE 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

ARTICLE 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor, 15 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CPWD.

ARTICLE 7: Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the **Headquarters of the Division** of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.

- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partners holding power of attorney signed by all partners and consortium members. In the case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid, the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement/Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/Pact or interpretation thereof shall not be subject to arbitration.

ARTICLE 8: LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard to any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Bidder/Contractor)	(For and on behalf of IIM Kashipur)
	WITNESSES:
Date:	
	1
Place:	(Signature, name and address)
	2
	(Signature, name and address)

Format for Earnest Money Deposit Declaration by the Agency

(To be given on Ten Rupees Non-Judicial Stamp paper duly notarized)

Whereas I/we	(Name of agency) have
submitted bids for "Construction of Security G	uard post at Gate No.3 IIM Kashipur." I/We hereby
submit the following declaration in lieu of sul	omitting the Earnest Money Deposit.
(1) If after the opening of the bid, I/We wi	thdraw or modify my/our bid during the period
of validity of tender (including extend	ded validity of tender) specified in the tender
documents,	

or

(2) If, after acceptance of the bid, I/we fail to submit a performance guarantee before the deadline as defined in the NIT/bid document,

I/we shall be suspended **from bidding, making me/us** ineligible to bid for IIM Kashipur tenders **all over India for a period of one year from the** date of issue of the order **stating so and issued under the authority of the Executive Engineer of this work**.

Signature of the contractor (s)

Name of Agency with complete address & email ID

Note: Executive Engineer shall initiate issue of show cause notice to the contractor who has violated Earnest Money Deposit Declaration within 15 days of violation by the contractor and his decision (to be taken within 60 days of violation by the contractor) thereof shall be final and binding on the contractor.

FORM OF PERFORMANCE SECURITY (GUARANTEE)

(BANK GUARANTEE BOND)

agr	consideration of the IIM Kashipur having offered to accept the terms and conditions of the proposed reement between
sec	evocable Bank Guarantee for Rs
1.	We,
2.	We, (indicate the name of the bank)do hereby undertake to pay the amounts due and payable under this Guarantee without any demure, merely on a demand from the Government stating that the amount claimed as required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs(Rupees
3.	We, the said bank, further undertake to pay to the government any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment made by us under this bond shall be a valid discharge of our liability for payment thereunder and the contractor(s) shall have no claim against us for making such payment.
4.	We, (indicate the name of the bank)further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for performance of the said agreement and that it shall continue to be enforceable till all the dues of the IIM Kashipur under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in-charge on behalf of the IIM Kashipur certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.
5.	We, (indicate the name of the bank)further agree with the IIM Kashipur that the IIM Kashipur shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the government against the said contractor(s) and to forebear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor(s) or for any forbearance, act of omission on the part of the IIM Kashipur or any indulgence by the IIM Kashipur to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6.	This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).	
7.	We, (indicate the name of the bank)lastly undertake not to revoke this guarantee except with the previous consent of the IIM Kashipur in writing.	
8.	This guarantee shall be valid up to, unless extended on demand by the IIM Kashipur. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs(Rupees	
Dated: the day of		
	Seal & Signature with Name & Address	
	For(indicate the name of the bank)	

PART - B

GENERAL/SPECIAL CONDITIONS, PARTICULAR SPECIFICATIONS AND SCHEDULE OF QUANTITIES FOR MAJOR COMPONENT OF WORK.

GENERAL CONDITIONS

- 1. The order of preference in case of any discrepancy as indicated in condition No. 8.1 under "Conditions of Contract" given in standard CPWD Contract form may be read as the following:
 - (i) Nomenclature of items as per Schedule of Quantities
 - (ii) General, Special Conditions and Particular Specifications as provided forming part of the tender document.
 - (iii) CPWD Specifications with up-to-date Correction slips
 - (iv) Architectural/Structural drawings
 - (v) Indian Standard Specifications of BIS
 - (vi) National Building Code 2016
 - (vii) Manufacturer's specifications.
 - (viii) Sound Engineering Practices
 - (ix) Decision of Engineer-in-charge

A reference made to any Indian Standard Specifications in these documents, shall imply to the latest version of that standard, including such revisions / amendments as issued by the Bureau of Indian Standards up to the last date of receipt of tenders. The Contractor shall keep at his own cost all such publications of relevant Indian Standard applicable to the work at site.

- The tenderer shall acquaint himself with the proposed site of work, its approach roads, working space available etc. before quoting his rates and no claim on this account shall be entertained by the department.
- 3. The tenderer shall see the approaches to the site. In case any approach from main road is required at site or existing approach is to be improved and maintained for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost. No payment shall be made on this account and the quoted rates shall be deemed to be inclusive of all such activities.
- 4. Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of building/adjacent properties.
- 5. Some restrictions may be imposed by the security agencies /client on the working and on movement of labour, materials etc in the campus/site and may require to issue identity cards to all persons authorized by the contractor to do work / visit the work site. The contractor shall be bound to follow all such restrictions/instructions and no claim whatsoever on this account will be entertained. The loss of time on this account, if any, shall have to be made up by generating additional resources etc.at no extra cost.
- 6. The rates quoted by the contractor are deemed to be inclusive of site clearance, setting out work, profile, establishment of reference benchmark, spot levels, construction of all safety and protection devices, barriers, earth embankments, preparatory works, all testing of materials, working during monsoon, working at all depths, height and locations etc. unless specified in the schedule of quantities.
- 7. No payment shall be made for any damage caused by rain, snowfall, flood or any other natural calamity, whatsoever during the execution of the work. The contractor shall be fully responsible for any damage to the govt. property and work for which the payment has been advanced to him under the contract and he shall make good the same at his risk and cost. The contractor shall be fully responsible for safety and security of his material, T&P, Machinery brought to the site by him.

- 8. The contractor shall deploy adequate resources e.g. manpower, labour, T&P, Plant & Equipment etc. as per actual requirement of work. No damages/compensation shall be payable on account of idle manpower, labour, T&P, Plant and Equipment and loss of profit etc. for whatsoever reason.
- 9. The rates for all items of work shall, unless clearly specified otherwise, include cost of all labour, material, tools and plants and other inputs including **all heights/depths, leads and carriages involved** in the execution of the item.
- 10. The contractor (s) shall quote all-inclusive rates against the items in the schedule of quantities and nothing extra shall be payable for any of the conditions and specifications mentioned in the tender documents unless specifically specified otherwise.
- 11. The rates for all items shall be considered as inclusive of pumping/baling out water, if necessary, for which no extra payment shall be made. Those conditions shall be considered to include water from any source such as inflow of flood, rain water, surface drainage or due to any other reason including surface and sub-soil water etc. and shall apply to the execution in any season.
- 12. The work shall be executed and measured as per metric dimensions given in the Schedule of quantities, drawings etc. (FPS units wherever indicated are for guidance only).
- 13. Unless otherwise specified in the schedule of quantities, the rates tendered by the contractor shall be inclusive of all costs & taxes and shall apply to all leads and lifts and nothing extra shall be payable on this account.
- 14. The contractor shall maintain in perfect condition, all portions executed till completion of the entire work allotted to him. Where however phased delivery of work is contemplated these provisions shall apply separately to each phase.
- 15. All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.
- 16. The Contractor shall bear all incidental charges for **all type of cartridge/carriage upto execution site**, storage and safe custody of materials issued by department/arranged by the contractor.

47.0 **Quality Assurance**

47.1 The contractor shall ensure quality control measures on different aspects of construction including materials, workmanship and correct construction methodologies to be adopted.

49.3 PRESERVE AND PROTECT LANDSCAPE DURING CONSTRUCTION

- 49.3.1 The contractor shall ensure that no trees, existing or otherwise, shall be harmed and damage to roots should be prevented during trenching, placing backfill, driving or parking heavy equipment, dumping of trash, oil, paint, and other materials detrimental to plant health. These activities should be restricted to the areas outside of the canopy of the tree, or, from a safe distance from the tree/plant by means of barricading. Trees will not be used for support; their trunks shall not be damaged by cutting and carving or by nailing posters, advertisements or other material. Lighting of fires or carrying out heat or gas emitting construction activity within the ground, covered by canopy of the tree is not to be permitted.
- 49.3.2 The contractor shall take steps to protect trees or saplings identified for preservation within the construction site using tree guards of approved specification.
- 49.3.4 The contractor shall avoid cutting and filling in the root zones, through delineating and fencing the drip line (the spread limit of a canopy projected on the ground) of all the trees

- or group of trees. Separate the zones of movement of heavy equipment, parking, or excessive foot traffic from the fenced plant protection zones.
- 49.3.5 The contractor shall ensure that maintenance activities during construction period shall be performed as needed to ensure that the vegetation remains healthy.
- 49.3.8 The contractor shall provide potable water for all workers.
- 49.3.10 The contractor shall ensure that air pollution due to dust/generators is kept to a minimum, preventing any adverse effects on the workers and other people in and around the site. The contractor shall ensure proper screening, covering stockpiles, covering brick and loads of dusty materials, wheel-washing facility, gravel pit, and water spraying. Contractor shall ensure the following activities to prevent air pollution during construction:
- (i) Clear vegetation only from areas where work will start right away
- (ii) Vegetate / mulch areas where vehicles do not ply.
- (iii) Apply gravel / landscaping rock to the areas where mulching / paving is impractical
- (iv) Identify roads on-site that would be used for vehicular traffic. Upgrade vehicular roads (if these are unpaved) by increasing the surface strength by improving particle size, shape and mineral types that make up the surface & base. Add surface gravel to reduce the source of dust emission. Limit amount of fine particles (smaller than 0.075mm) to 10 20%
- (v) Water spray, through a simple hose for small projects, to keep dust under control. Fine mists should be used to control fine particulates. However, this should be done with care so as not to waste water. Heavy watering can also create mud, which when tracked onto paved public roadways, must be promptly removed. Also, there must be an adequate supply of clean water nearby to ensure that spray nozzles don't get plugged.
- (vi) Water spraying shall be done on:
- (a) Any dusty materials before transferring, loading and unloading
- (b) Area where demolition work is being carried out
- (c) Any unpaved main haul road
- (d) Areas where excavation or earth moving activities are to be carried out
- (vii) The contractor shall ensure that the speed of vehicles within the site is limited to 10 km/hr.
- (viii) All material storages should be adequately covered and contained so that they are not exposed to situations where winds on site could lead to dust / particulate emissions.
- (ix) Spills of dirt or dusty materials will be cleaned up promptly so the spilled material does not become a source of fugitive dust and also to prevent seepage of pollutant laden water into the ground aquifers. When cleaning up the spill, ensure that the clean-up process does not generate additional dust. Similarly, spilled concrete slurries or liquid wastes should be contained / leaned up immediately before they can infiltrate into the soil / ground or runoff in nearby areas
- 49.3.11 Contractor shall be required to provide an easily accessible area that serves the entire building and is dedicated to the separation, collection and storage of materials for recycling including (at a minimum) paper, corrugated cardboard, glass, plastics, and metals.

- 49.3.12 The contractor shall ensure that no construction leachate (e.g. cement slurry etc.), is allowed to percolate into the ground. Adequate precautions are to be taken to safeguard against this including, reduction of wasteful curing processes, collection, basic filtering and reuse. The contractor shall follow requisite measures for collecting drainage water run-off from construction areas and material storage sites and diverting water flow away from such polluted areas. Temporary drainage channels, perimeter dike/swale, etc. shall be constructed to carry the pollutant-laden water directly to the treatment device or facility (municipal sewer line).
- 49.3.14 The contractor shall comply with the safety procedures, norms and guidelines (as applicable) as outlined in the document Part 7 Constructional practices and safety, National Building code -2016 Bureau of Indian Standards. A copy of all pertinent regulations and notices concerning accidents, injury and first-aid shall be prominently exhibited at the work site. Depending upon the scope & nature of work, a person qualified in first-aid shall be available at work site to render and direct first-aid to casualties. A telephone may be provided to first-aid assistants with telephone numbers of the hospitals displayed. Complete reports of all accidents and action taken thereon shall be forwarded to the competent authorities.
- 49.3.15 The contractor shall ensure the following activities for construction workers safety, among other measures:
- (i) Guarding all parts of dangerous machinery.
- (ii) Precautionary signs for working on machinery
- (iii) Maintaining hoists and lifts, lifting machines, chains, ropes, and other lifting tackles in good condition.
- (iv) Durable and reusable formwork systems to replace timber formwork and ensure that formwork where used is properly maintained.
- (v) Ensuring that walking surfaces or boards at height are of sound construction and are provided with safety rails or belts.
- (vi) Provide protective equipment; helmets etc.
- (vii) Provide measures to prevent fires. Fire extinguishers and buckets of sand to be provided in the fire-prone area and elsewhere.
- (viii) Provide sufficient and suitable light for working during night time.
- 49.3.16 The storage of material shall be as per standard good practices as specified in Part 7, Section 3. Storage, stacking and Handling practices, NBC 2016 and shall be to the satisfaction of the Engineer in Charge to ensure minimum wastage and to prevent any misuse, damage, inconvenience or accident. Watch and ward of the Contractor's materials shall be his own responsibility. There should be a proper planning of the layout for stacking and storage of different materials, components and equipment with proper access and proper maneuverability of the vehicles carrying the materials. While planning the layout, the requirements of various materials, components and equipment at different stages of construction shall be considered.

- 49.3.17 The contractor shall provide for an adequate number of garbage bins around the construction site and the workers facilities and will be responsible for the proper utilization of these bins for any solid waste generated during the construction. The contractor shall ensure that the site and the workers facilities are kept litter free. Separate bins should be provided for plastic, glass, metal, biological and paper waste and labeled in both Hindi and English with suitable symbols.
- 49.3.18 The contractor shall prepare and submit spill prevention and control plans before the start of construction, clearly stating measures to stop the source of the spill, to contain the spill, to dispose of the contaminated material and hazardous wastes, and stating designation of personnel trained to prevent and control spills. Hazardous wastes include pesticides, paints, cleaners, and petroleum products.
- 49.3.21 Where possible, the contractor shall select materials/vendors, harvested and manufactured regionally.
- 49.3.23 The contractor shall ensure that neat and deep cleaning of all internal spaces is conducted prior to handover. This shall comprise an opening of all doors and windows for 14 days to vent out any toxic fumes due to paints, varnishes, polishes, etc.
- 49.3.24 Contractor shall make efforts to reduce the quantity of indoor air contaminants that are odorous or potentially irritating harmful to the comfort and well-being of installer and building occupants. Contractor shall ensure that the VOC (Volatile Organic Compounds) content of paints, coatings and primers used must not exceed the VOC content limits mentioned below:
- 49.3.25 Wherever required, Contractor shall meet and carry out documentation of all activities on site, supplementation of information, and submittals in accordance with IGBC LEED India New Construction v1.0 & GRIHA / or equivalent of GHAR, CPWD program standards and guidelines. Towards meeting the aforementioned building environmental rating standard(s) expert assistance shall be provided to him up on request.

49.3.26 Water Use during Construction

Contractor should spray curing water on the concrete structure and shall not allow free flow of water. Concrete structures should be kept covered with thick cloth/gunny bags and water should be sprayed on them. Contractor shall do water ponding on all sunken slabs using cement and sand mortar bunds.

49.3.27 The Contractor shall remove from site all rubbish and debris generated by the Works and keep Works clean and tidy throughout the Contract Period. All the serviceable and non-serviceable (malba) material shall be segregated and stored separately. The malba obtained during construction shall be collected in well formed heaps at properly selected places, keeping in view safe conditions for workmen in the area. Materials which are likely to cause dust nuisance or undue environmental pollution in any other way, shall be removed from the site at the earliest and till then they shall be suitably covered. Glass & steel should be dumped or buried separately to prevent injury. The work of removal of debris should be carried out during the day. In case of poor visibility artificial light may be provided.

49.6 CONSTRUCTION WASTE

- (a) All construction debris generated during construction shall be carefully segregated and stored in a demarcated waste yard. Clear, identifiable areas shall be provided for each waste type. Employ measures to segregate the waste on site into inert, chemical, or hazardous wastes.
- (b) No construction debris shall be taken away from the site, without the prior approval of the Engineer in Charge.
- (c) The contractor shall recycle the unused chemical/hazardous wastes such as oil, paint, batteries, and asbestos.
- (d) If and when construction debris is taken out of the site, after prior permissions from the Engineer in Charge, then the contractor shall ensure the safe disposal of all wastes and will only dispose of any such construction waste in approved dumping sites.

Clause 19G

In the event of the contractor(s) committing a default or breach of any of the provisions of the Central Public Works Department, Contractor's Labour Regulations and Model Rules for the protection of health and sanitary arrangements for the workers as amended from time to time or furnishing any information or submitting or filing any statement under the provisions of the above Regulations and' Rules which is materially incorrect, he/they shall, without prejudice to any other liability, pay to the Government a sum as decided by the authority mentioned in Schedule F for every default, breach or furnishing, making, submitting, filing such materially incorrect statements and in the event of the contractor(s) defaulting continuously in this respect, the penalty may be enhanced to as decided by the authority mentioned in Schedule F per day for each day of default subject to a maximum of 5 percent of the estimated cost of the work put to tender. The decision of the Engineer-in-Charge shall be final and binding on the parties.

SCHEDULE OF QUANTITIES

Name of work: Construction of Security Guard post at Gate No.3 IIM Kashipur

Abstract of Cost

	Name of Work : Construction of								
Location: New Campus IIM Kashipur									
Sr.No.	Description	Description Unit Qty.		Rate	Amount				
	Earth Work & Excavation								
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.								
1.1	All kinds of soil	Cum	8.32	498.90	4,150.85				
2	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	Cum	4.97	2,123.75	10,555.04				
	Concrete work				-				
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				-				
3.1	1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded stone aggregate 40 mm nominal size)	cum	2.19	6,518.60	14,275.73				
	Form Work				-				
4	Centering and shuttering including strutting, propping etc. and removal of form for:				-				
4.1	Suspended floors, roofs, landings, balconies and access platform	Sqm	11.44	927.25	10,607.74				
	MASONRY WORK				-				

5	Brick work with common burnt				-
	clay F.P.S. (non modular) bricks of				
	class designation 7.5 in foundation				
	and plinth in:			- 400	10.650.65
6	Cement mortar 1:6 (1 cement : 6 coarse sand)	Cum	5.98	7,132.55	42,652.65
7	Brick work with common burnt				-
	clay selected F.P.S. (non modular)				
	bricks of class designation 7.5 in				
	exposed brick work including				
	making horizontal and vertical				
	grooves 10 mm wide 12 mm deep				
	complete in cement mortar 1:6 (1				
7.4	cement : 6 coarse sand)	C	0.04	0.420.75	02 024 42
7.1	Above plinth level upto floor V level	Cum	9.94	9,439.75	93,831.12
	Flooring				-
8	Kota stone slab flooring over 20				_
	mm (average) thick base laid over				
	and jointed with grey cement				
	slurry mixed with pigment to				
	match the shade of the slab,				
	including rubbing and polishing				
	complete with base of cement				
	mortar 1 : 4 (1 cement : 4 coarse				
0.4	sand):	C	0.25	4.040.25	40.024.24
8.1	25 mm thick	Sqm	9.25	1,948.25	18,021.31
	Finishing				-
9	12 mm cement plaster of mix :				-
9.1	1:4 (1 cement: 4 coarse sand)	Sqm	45.50	357.35	16,259.43
10	Pointing on brick work or brick				-
	flooring with cement mortar 1:3 (1				
40.4	cement : 3 fine sand):		15.50	257.25	11 700 10
10.1	Flush / Ruled/ Struck or	Sqm	45.50	257.35	11,709.43
11	weathered pointing Providing and applying white	Sqm	53.55	156.050	8,356.48
	cement based putty of average	Sqiii	33.33	130.030	8,330.48
	thickness 1 mm, of approved				
	brand and manufacturer, over the				
	plastered wallsurface to prepare				
	the surface even and smooth				
	complete.				
12	Wall painting with premium				-
	acrylic emulsion paint of interior				
	grade, having VOC (Volatile				
	Organic Compound) content less				
	than 50 grams/ litre of approved				
	brand and manufacture, including				
	applying				
	additional coats wherever				

	required to achieve even shade and colour. two coats				
12.1	Two or more coats on new work	Sqm	53.55	142.80	7,646.94
	Door/Window/Ventilator				-
13	Providing and fixing angle iron frames for doors, windows and ventilators of mild steel angle sections of size 35x35x5 mm, joints mitred and welded by angle iron 35x35x5 mm or 35x 5 mm flat pieces to the existing T-iron frame or to the wall with dash fastener, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer, all complete as per the direction of Engineer-In-charge.	Kg.	35.98	130.35	4,689.99
14	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):				-
14.1	For fixed portion				-

1111	Be described at a total	17 -	40.00	F20.00	24 226 00
14.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg.	40.00	530.90	21,236.00
15	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.				-
15.1	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	sqm	4.27	3,167.950	13,527.15
16	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)			-	-
16.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg.	48.00	634.450	30,453.60
17	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):			-	-
17.1	With float glass panes of 5 mm thickness (weight not less than 20 kg/sqm)	sqm	4.00	1,505.250	6,021.00
18	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	Each	2.00	1,124.850	2,249.70

	- · · · · · · · · · · · · · ·				
19	Providing and fixing ISI marked			-	-
	aluminium butt hinges anodised				
	(anodic coating not less than				
	grade AC 10 as per IS: 1868)				
	transparent or dyed to required				
	colour or shade with necessary				
	screws etc. complete:				
19.1	100x75x4 mm	Each	10.00	115.400	1,154.00
20	Providing and fixing aluminium			-	-
	tower bolts, ISI marked, anodised				
	(anodic coating not less than				
	grade AC 10 as per IS: 1868)				
	transparent or dyed to required				
	colour or shade, with necessary				
	screws etc. complete :				
20.1	200x10 mm	Each	8.00	99.700	797.60
21	Providing and fixing aluminium			-	-
	handles, ISI marked, anodised				
	(anodic coating not less than				
	grade AC 10 as per IS : 1868)				
	transparent or dyed to required				
	colour or shade, with necessary				
	screws etc. complete :				
21.1	75 mm	Each	12.00	51.750	621.00
22	Providing and fixing aluminium			-	-
	hanging floor door stopper, ISI				
	marked, anodised (anodic coating				
	not less than grade AC 10 as per IS				
	: 1868) transparent or dyed to				
	required colour and shade, with				
	necessary screws etc. complete.				
22.1	Twin rubber stopper	Each	2.00	72.350	144.70
	Reinforcement			-	-
23	Steel reinforcement for R.C.C.			-	- 7
	work including straightening,				
	cutting, bending, placing in				
	position and binding all complete				
	above plinth level				
23.1	Thermo-Mechanically Treated	Kg.	271.04	107.85	29,231.66
	bars of grade Fe-500D or more				

		D.:.(4.00	44 505 500	22 700 000
2	24	Reinforced cement concrete work	cum	1.98	11,505.500	22,780.890
		in beams, suspended floors, roofs				
		having slope up to 15° landings,				
		balconies, shelves, chajjas, lintels,				
		bands, plain window sills,				
		staircases and spiral stair cases				
		above plinth				
		level up to floor five level,				
		•				
		excluding the cost of centering,				
		shuttering, finishing and				
		reinforcement with 1:1.5:3 (1				
		cement: 1.5 coarse sand(zone-III)				
		derived from natural sources : 3				
		graded stone aggregate				
		20 mm nominal size derived from				
		natural sources).				
2	25	Providing and fixing 1st quality	sqm	38.44	1,267.950	48,740.000
		ceramic glazed wall tiles				
		conforming to IS: 15622 (thickness				
		to be specified by the				
		manufacturer), of approved make,				
		in all colours, shades except				
		burgundy, bottle green, black of				
		any size as approved by Engineer-				
		in-Charge, in skirting, risers of				
		steps and dados, over 12 mm				
		thick bed of cement mortar 1:3 (1				
		cement: 3 coarse sand) and				
		jointing with grey cement slurry @				
		3.3kg per sqm, including pointing				
		in white cement mixed with				
		pigment of matching shade				
		complete.				
2	26	Providing and fixing floor	Each	1.00	18,212.900	18,212.90
		mounted, white vitreous china				
		single piece, double traps				
		syphonic water closet of approved				
		brand/make, shape, size and				
		pattern including integrated white				
		vitreous china cistern of capacity				
		10 litres with dual flushing system,				
		including all fittings and fixtures				
		with seat cover, cistern fittings,				
		nuts, bolts and gasket etc				
		including making connection with				
		the existing P/S trap, complete in				
		all respect as per directions of				
		Engineer-in-Charge				

	Providing and fiving wash basis				
27	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:			-	-
28	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	1.00	2,301.750	2,301.75
29	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.			-	-
30	32 mm dia	Each	1.00	119.550	119.55
31	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washerscomplete.	Each	1.00	1,607.950	1,607.95
32	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.				-
33	20 mm nominal dia Pipes	Metre	300.00	274.30	82,290.00
34	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete:				-
34.1 35	20 mm nominal bore Providing and fixing uplasticised PVC connection pipe with brass unions :Providing and fixing uplasticised PVC connection pipe with brass	Each	1.00	462.50	462.50 -

3.1	20 mm nominal bore	Each	1.00	119.05	119.05
36	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making	Per Litre	500.00	11.00	5,500.00
	necessary holes for inlet, outlet and overflow pipes and the base support for tank.				
37	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				-
37.1	15 mm nominal bore	Each	1.00	798.95	798.95
38	Providing and fixing Ablution health faucet with flow restrictor (Approved Make) to meet Griha requirement, assembly with 1 m long flexible hose with mounting bracket fixed on wall complete with PVC cleats and S.S. screws including cutting and making good the walls wherever required complete as directed by Engineer-in-Charge.	Each	1.00	1,312.000	1,312.00
39	Providing and fixing manual CP soap dispenser of 500ml capacity (Approved Make) with metallic bottle with liquid soap (including one time soap fill) including cutting and making good the walls, wherever required complete as per directions of the Engineer-in-charge.	Each	1.00	1,193.000	1,193.00
40	Providing and fixing angular stop cock (Approved Make) with flange wall complete			-	-
40.1	15 mm nominal bore	Each	3.00	696.000	2,088.00
41	Providing and fixing unplasticised Rigid PVC pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, all complete as per direction of engineer-in-charge. 110 mm daimeter	meter	20.00	377.400	7,548.00
	Total	Amount			5,43,267.66

	Part B - Electrical							
	Estimate for electrification work of new guard room at Gate No. 03.							
SI. No.	E&M DSR 2022	Item Description	Quantity	Units	Rate	Total Amount In Words		
1	2	3	4	5	6	7		
1	Non DSR	Supply of 50 MM ² 3.5 core FRLS PVC insulated and PVC Round Sheathed, Multicore Annealed Bare Aluminium Conductor Armoured cable for Voltage Grade 1100 Volt, Conforming to IS 694: 2010 and as per IS 7098 (Part 1) 1988 with upto Date Amendments.	300	Mtrs	₹805.00	₹ 2,41,500.00		
2	14.16	Supplying and laying of following size DWC HDPE pipe ISI marked along with all accessories like socket, bend, couplers etc. conforming to IS 14930, Part II complete with fitting and cutting, jointing etcdirect in ground (75 cm below ground level) including excavation and refilling the trench but excluding sand cushioning and protective covering etc., complete as required.						
2.1	14.16.1	63 mm dia (OD-63 mm & ID-51 mm nominal)	300	Mtrs	₹ 247.00	₹ 74,100.00		
3	7.1	Supplying and fixing cable route marker with 10 cm X 10 cmX 5 mm thick G.I. plate with inscription there on, bolted /welded to 35 mm X 35 mm X 6 mm angle iron, 60 cm long and fixing the same in ground as required.	35	Nos.	₹ 508.00	₹ 17,780.00		
4	5.2	Earthing with G.I. earth pipe 4.5 meter long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	4	Nos.	₹6,855.00	₹ 27,420.00		
5	5.7	Supplying and laying 6 SWG G.I. wire at 0.50 meter below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required.	350	Mtrs	₹ 51.00	₹ 17,850.00		

6	1.3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
6.1	1.3.1	Group A	6	Nos.	₹ 1,244.00	₹ 7,464.00
6.2	1.3.2	Group B	4	Nos.	₹ 1,488.00	₹ 5,952.00
7	1.14	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.				
7.1	1.14.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	20	Mtrs	₹ 275.00	₹ 5,500.00
7.2	1.14.3	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	20	Mtrs	₹ 334.00	₹ 6,680.00
6	1.17	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
6.1	1.17.3	3 x 1.5 sq. mm	20	Mtrs	₹ 95.00	₹ 1,900.00
6.2	1.17.21	3 x 4 sq. mm	20	Mtrs	₹206.00	₹ 4,120.00
8	1.21	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
8.1	1.21.1	20 mm	70	Mtrs	₹ 125.00	₹ 8,750.00
9	1.27	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.			,	, 3,, 33,33
9.1	1.27.1	1 or 2 Module (75mm X75mm)	4	Nos.	₹298.00	₹ 1,192.00
9.2	1.27.2	3 Module (100 mmX75 mm)	1	Nos.	₹ 327.00	₹ 327.00
9.3	1.27.4	6 Module (200 mmX75 mm)	4	Nos.	₹402.00	₹ 1,608.00
10	1.25	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	1	Nos.	₹ 369.00	₹ 369.00
11	1.24	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
11.1	1.24.1	5/6 A switch	18	Nos.	₹103.00	₹ 1,854.00
11.2	1.24.3	15/16 A switch	14	Nos.	₹ 156.00	₹ 2,184.00

11.3	1.24.4	3 pin 5/6 A socket outlet	1	Nos.	₹ 122.00	₹ 122.00
11.4	1.24.5	6 pin 15/16 A socket outlet	5	Nos.	₹ 197.00	₹ 985.00
11.5	1.24.6	Telephone Sockrt Outlet	2	Nos.	₹ 148.00	₹ 296.00
11.0	1.24.0	Supplying and fixing 3 pin, 5 A ceiling		1405.	(140.00	(200.00
12	1.33	rose on the existing junction box/ wooden block including connections	8	Nos.	₹87.00	₹ 696.00
		etc. as required.				
		Supplying and fixing brass batten/				
13	1.34	angle holder including connections	2	Nos.	₹ 131.00	₹ 262.00
		etc. as required.				
		Installation, testing and				
		commissioning of pre-wired,				
		fluorescent fitting / compact				
		fluorescent fitting of all types,				
14	1.41	complete with all accessories and	10	Nos.	₹ 206.00	₹ 2,060.00
		tube/lamp etc. directly on ceiling/ wall, including connections with 1.5				
		sq. mm FRLS PVC insulated, copper				
		conductor, single core cable and				
		earthing etc. as required.				
		Supplying and fixing following way,				
		horizontal type three pole and neutral,				
		sheet steel, MCB distribution board,				
		415 V, on surface/ recess, complete				
15	2.4	with tinned copper bus bar, neutral				
		bus bar, earth bar, din bar,				
		interconnections, powder painted including earthing etc. as required.				
		(But without MCB/RCCB/Isolator)				
15.1	2.3.2	8 way (4+12), Double door	1	Nos.	₹4,091.00	₹ 4,091.00
10.1	2.0.2	Supplying and fixing 5 A to 32 A rating,		11001	(1,001.00	(1,001.00
		240/415 V, 10 kA, "C curve, miniature				
		circuit breaker suitable for inductive				
16	2.10	load of following poles in the existing				
		MCB DB complete with connections,				
		testing and commissioning etc. as				
		required				
16.1	2.10.1	Single Pole	6	Nos.	₹ 256.00	₹ 1,536.00
16.2	2.10.2	Single Pole and neutral	3	Nos.	₹ 599.00	₹ 1,797.00
		Supplying and fixing single pole				
17	2.11	blanking plate in the existing MCB DB	4	Nos.	₹ 13.00	₹ 52.00
		complete etc. as required.				
		Supplying and fixing following rating,				
10	0.10	four pole, 415 V, isolator in the existing				
18	2.13	MCB DB complete with connections, testing and commissioning etc. as				
		required.				
18.1	2.13.2	63 A	1	Nos.	₹527.00	₹ 527.00
>=	·	Supplying and fixing following rating,		1		<u> </u>
		double pole, (single phase and				
19	2.14	neutral), 240 V, residual current circuit				
		breaker (RCCB), having a sensitivity				
		current 30 mA in the existing MCB DB				

		complete with connections, testing and commissioning etc. as required.				
		-				
19.1	2.14.3	63 A	3	Nos.	₹2,722.00	₹ 8,166.00
20	2.18	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	2	Nos.	₹ 1,621.00	₹ 3,242.00
21	9.1	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 kV grade as required.				
21.1	9.1.23	3 x 70 sq. mm (38mm)	2	Nos.	₹ 468.00	₹936.00
22	19.1	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.	1	Nos.	₹2,730.00	₹ 2,730.00
23	1.5	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.				
23.1	1.50.1	Upto 450 mm Sweep	2	Nos.	₹ 450.00	₹900.00
24	1.53	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required.				
24.1	1.53.1	1 run of cable	20	Mtrs	₹ 57.00	₹ 1,140.00
25	1.26	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	4	Nos.	₹ 40.00	₹160.00

G. Total Amount (Part A+B)						10, 09, 603.00
Total Amount Part B						
28.1	2.24.1	for 4 way, Double door TPN MCBDB	1	Nos.	₹ 1,080.00	₹ 1,080.00
		and commissioning etc.as required.				
28	2.24	surface/ recess, complete with testing				
		MCB distribution board, 415 Volts, on				
00		triple pole and neutral, sheet steel,				
		(Loose Wire Box) suitable for following				
		Supplying and fixing Cable End Box			. 2,,,,,,,,	. , , , , , , , , , , , , , , , , , , ,
27.1	2.2.1	100 A, 16 KA, TPMCCB	2	Nos.	₹ 3,777.00	₹ 7,554.00
		etc. as required.				
27	2.2	panel board including drilling holes in cubicle panel, making connections,				
		terminal spreaders in existing cubicle				
		with thermomagnetic release and				
		and breaking capacity and pole MCCB				
		Providing and fixing following rating				
26	1.57	connections, painting etc. as required.				
		MCB, "C" curve including				
		socket outlet and 25 A modular SP				
		providing and fixing 25 A modular	2	Nos.	₹727.00	₹ 1,454.00
		on surface or in recess including				
		Supplying & fixing suitable size GI box with modular plate and cover in front				

I/We hereby quote my/our rates as single percent, Below/At Par/Above, for all the above items as follows.

- 3) Total Quoted amount.....

Note: - The Contractor has to give a single percentage for all above items. If the different percentage is given by the contractor for the different items, the rates will not be dictated, and the tender will be treated as cancelled.

Note:- The signed Financial bid shall be submitted in a separate envelope.

Signature of Contractor

Name full address

RENOVATION CERTIFICATE

NAME OF WORK: Construction of Security Guard post at Gate No.3 IIM Kashipur

I hereby give my willingness to	o work as civil/electrical contractor for the specialized work of
	"in the above mentioned work. I will execute the
work as per specifications and	conditions for the agreement and as per direction of the Engineer
in-Charge. Also, I will engage	a full time technically qualified supervisor/engineer for the work
I will attend inspections of offi	icers of the department as and when required.
ъ.	
Date:	
Place:	
[Signature of the Associate sC	ontractor]
[Stamp with Address]	